



BRINKSTM
A TRUSTED NAME IN SECURITY SINCE 1859

**PADLOCKS &
PORTABLE SECURITY**

 **HAMPTON**



Brinks™ Padlocks & Portable Security

As a trusted name in security products since 1859, Brinks is synonymous with peace of mind, trust, and quality. Our products are designed to offer effortless installation and user-friendliness, providing unwavering reliability and exceptional value. Whether you're a homeowner, renter, student, athlete, Realtor, or professional in the field, Brinks caters to your diverse security needs.

Every Brinks product embodies excellence by surpassing stringent ASTM testing standards, exceeding expectations for safety and security. When it comes to safeguarding your home, loved ones, and valuable possessions, Brinks has got you covered. With high-quality materials, we ensure years of hassle-free usage, protecting what matters most to you.



Levels of Security

STANDARD
SECURITY



HOME



TRAVEL



LOCKER

HIGH
SECURITY



CABLES



STORAGE

BRINKS
COMMERCIAL



CABLES



CONSTRUCTION



PADLOCKS & PORTABLE SECURITY CATALOG CONTENTS

Padlock

STANDARD
SECURITY

HIGH
SECURITY

Laminated Steel	
• Keyed.....	04
• Keyed - Weather Resistant.....	05
Discus Stainless Steel	
• Keyed.....	06
• Resettable.....	06
Solid Brass	
• Keyed.....	07
• Resettable.....	08

Laminated Steel	
• Keyed.....	08
• Keyed - Made in the USA.....	10
• Keyed - Weather Resistant.....	10
Stainless Steel Laminated	
• Keyed.....	10
Discus Stainless Steel	
• Keyed.....	10
• Resettable.....	?
Stainless Steel	
• Keyed.....	11
Solid Steel	
• Keyed.....	11
Solid Brass	
• Keyed.....	11
• Resettable.....	11

Specialty Lock

STANDARD
SECURITY

TSA Luggage Locks	
• Keyed.....	12
• Resettable Combo.....	12
Dial Combinations.....	12
Resettable Sport Locks.....	13
Aluminum Resettable Combo.....	13
Hasps.....	13

Hasps.....	13
-------------------	----

STANDARD
SECURITY

HIGH
SECURITY

Cable & Accesories

Flexible Steel	
• Keyed.....	14
• Loop Ended.....	14
• Resettable Combo.....	14

Flexible Steel	
• Keyed Commercial.....	15
• Loop Ended Commercial.....	15

HIGH
SECURITY

Lock Box.....	15
Security Bar.....	15



BRINKS

PADLOCK



Laminated Steel - Keyed

STANDARD
SECURITY

30mm (lock body size)

Quantity per Item	Item Number	Item Description	Cut Strength (lbs)	Pull Strength (lbs)	Keyway
1	172-30001	30mm Laminated Steel	1500	500	M2



Laminated Steel - Keyed

HIGH
SECURITY

40mm (lock body size)

Quantity per Item	Item Number	Item Description	Cut Strength (lbs)	Pull Strength (lbs)	Keyway
1	172-40001	40mm Laminated Steel w/ 7/8" Shackle	2400	1000	M1
2	172-40201	40mm Laminated Steel w/ 7/8" Shackle, 2pk	2400	1000	M1
4	172-40401	40mm Laminated Steel w/ 7/8" Shackle, 4pk	2400	1000	M1



Quantity per Item	Item Number	Item Description	Cut Strength (lbs)	Pull Strength (lbs)	Keyway
1	172-42001	40mm Laminated Steel w/ 2-1/4" Shackle	2300	1500	M1
2	172-42201	40mm Laminated Steel w/ 2-1/4" Shackle, 2pk	2300	1500	M1
4	172-42401	40mm Laminated Steel w/ 2-1/4" Shackle, 4pk	2300	1500	M1



44mm (lock body size)

Quantity per Item	Item Number	Item Description	Cut Strength (lbs)	Pull Strength (lbs)	Keyway
1	172-44001	44mm Laminated Steel w/ 1-3/16" Shackle	2000	3600	M1



Quantity per Item	Item Number	Item Description	Cut Strength (lbs)	Pull Strength (lbs)	Keyway
1	172-44002	44mm Laminated Steel w/ 2-3/8" Shackle	3500	1400	M1
3	172-44302	44mm Laminated Steel w/ 2-3/8" Shackle, 3pk	3500	1400	M1



Laminated Steel - Keyed Weather Resistant

HIGH
SECURITY

30mm (lock body size)

Quantity per Item	Item Number	Item Description	Cut Strength (lbs)	Pull Strength (lbs)	Keyway
4	172-30451	30mm Laminated Steel Weather Resistant, 4pk	1500	400	M2



40mm (lock body size)

Quantity per Item	Item Number	Item Description	Cut Strength (lbs)	Pull Strength (lbs)	Keyway
1	172-40051	40mm Laminated Steel Weather Resistant w/ 1-3/16" Shackle	2317	1586	M1
3	172-40351	40mm Laminated Steel Weather Resistant w/ 1-3/16" Shackle, 3pk	2317	1586	M1



Quantity per Item	Item Number	Item Description	Cut Strength (lbs)	Pull Strength (lbs)	Keyway
1	172-42051	40mm Laminated Steel Weather Resistant, 2" Shackle	3917	1651	M1



Quantity per Item	Item Number	Item Description	Cut Strength (lbs)	Pull Strength (lbs)	Keyway
1	172-42051	40mm Laminated Steel Weather Resistant w/ 2" Shackle	4974	1450	M1
2	172-42251	40mm Laminated Steel Weather Resistant w/ 2" Shackle, 2pk	4974	1450	M1
4	172-42451	40mm Laminated Steel Weather Resistant w/ 2" Shackle, 4pk	4974	1450	M1



Quantity per Item	Item Number	Item Description	Cut Strength (lbs)	Pull Strength (lbs)	Keyway
1	172-40081	40mm Laminated Steel Sure Grip Weather Resistant	2800/	1200/	M1
2	172-40281	40mm Laminated Steel Sure Grip Weather Resistant, 2pk	2800/	1200/	M1



Quantity per Item	Item Number	Item Description	Cut Strength (lbs)	Pull Strength (lbs)	Keyway
1	175-81005	40mm Laminated Steel Weather Resistant w/ Hitch Pin	2400 lbs.	1200 lbs.	M1





Stainless Steel Discus

STANDARD
SECURITY

60mm (lock body size)

Quantity per Item	Item Number	Item Description	Cut Strength (lbs)	Pull Strength (lbs)	Keyway
1	173-60001	60mm Stainless Steel Discus	5900	n/a	M1



Stainless Steel Discus

HIGH
SECURITY

70mm (lock body size)

Quantity per Item	Item Number	Item Description	Cut Strength (lbs)	Pull Strength (lbs)	Keyway
1	173-70001	70mm Stainless Steel Discus	8100	n/a	M1
2	173-70201	70mm Stainless Steel Discus, 2pk	8100	n/a	M1
3	173-70301	70mm Stainless Steel Discus, 3pk	8100	n/a	M1
4	173-70401	70mm Stainless Steel Discus, 4pk	8100	n/a	M1



Stainless Steel - Resettable Discus

HIGH
SECURITY

80mm (lock body size)

Quantity per Item	Item Number	Item Description	Cut Strength (lbs)	Pull Strength (lbs)	Keyway
1	173-80051	80mm Discus 4-Dial Reset Combo	5300	n/a	n/a



Solid Brass - Keyed

STANDARD
SECURITY

20mm (lock body size)

Quantity per Item	Item Number	Item Description	Cut Strength (lbs)	Pull Strength (lbs)	Keyway
2	171-20201	20mm Solid Brass, 2pk	N/A	N/A	1065



30mm (lock body size)

Quantity per Item	Item Number	Item Description	Cut Strength (lbs)	Pull Strength (lbs)	Keyway
1	171-30001	30mm Solid Brass w/ 5/8" Shackle	1300	900	M1





Solid Brass - Keyed

HIGH
SECURITY

40mm (lock body size)



Quantity per Item	Item Number	Item Description	Cut Strength (lbs)	Pull Strength (lbs)	Keyway
1	171-40001	40mm Solid Brass w/ 7/8" Shackle	2400	1400	M1
2	171-40202	40mm Solid Brass w/ 7/8" Shackle, 2pk	2400	1400	M1
4	171-40401	40mm Solid Brass w/ 7/8" Shackle, 4pk	2400	1400	VR7



Quantity per Item	Item Number	Item Description	Cut Strength (lbs)	Pull Strength (lbs)	Keyway
1	171-42001	40mm Solid Brass w/ 2-1/2" Shackle	2800	1500	M1
2	171-42201	40mm Solid Brass w/ 2-1/2" Shackle, 2pk	2800	1500	M1
4	171-42401	40mm Solid Brass w/ 2-1/2" Shackle, 4pk	2800	1500	M1



50mm (lock body size)

Quantity per Item	Item Number	Item Description	Cut Strength (lbs)	Pull Strength (lbs)	Keyway
1	171-50001	50mm Solid Brass w/ 1" Shackle	2800	1400	M1



Quantity per Item	Item Number	Item Description	Cut Strength (lbs)	Pull Strength (lbs)	Keyway
1	171-50061	50mm Solid Brass w/ Adjustable Shackle	3000	2100	VR7



60mm (lock body size)

Quantity per Item	Item Number	Item Description	Cut Strength (lbs)	Pull Strength (lbs)	Keyway
1	171-60001	60mm Solid Brass	4100	2700	VR2



Solid Brass - Resettable Combo

STANDARD
SECURITY

30mm (lock body size)

Quantity per Item	Item Number	Item Description	Cut Strength (lbs)	Pull Strength (lbs)	Keyway
1	171-30051	30mm Solid Brass 4-Dial Reset Combo	1200	300	n/a

40mm (lock body size)

Quantity per Item	Item Number	Item Description	Cut Strength (lbs)	Pull Strength (lbs)	Keyway
1	171-40051	40mm Solid Brass 3-Dial Reset Combo	2100	400	n/a

Solid Brass - Resettable Combo

HIGH
SECURITY

48mm (lock body size)

Quantity per Item	Item Number	Item Description	Cut Strength (lbs)	Pull Strength (lbs)	Keyway
1	171-50051	48mm Solid Brass 4-Dial Reset Combo	6173	1131	n/a

Quantity per Item	Item Number	Item Description	Cut Strength (lbs)	Pull Strength (lbs)	Keyway
1	171-50052	48mm Solid Brass 4-Dial Reset Combo w/ 2-1/4" Shackle	4500	600	n/a

Commercial Laminated Steel - Keyed

BRINKS
COMMERCIAL

44mm (lock body size)

Quantity per Item	Item Number	Item Description	Cut Strength (lbs)	Pull Strength (lbs)	Keyway
1	677-44101	44mm Laminated Steel XT Series w/ 1-1/2" Boron Shackle	7000	5100	M1

Quantity per Item	Item Number	Item Description	Cut Strength (lbs)	Pull Strength (lbs)	Keyway
1	677-44102	44mm Laminated Steel XT Series w/ 2-3/8" Boron Shackle	9700	5200	M1
2	677-44202	44mm Laminated Steel XT Series w/ 2-3/8" Boron Shackle, 2pk	7000	5100	M1
3	677-44302	44mm Laminated Steel XT Series w/ 2-3/8" Boron Shackle, 3pk	7000	5100	M1

50mm (lock body size)

Quantity per Item	Item Number	Item Description	Cut Strength (lbs)	Pull Strength (lbs)	Keyway
1	677-50001	50mm Laminated Steel XT Series w/ 1" Boron Shackle	11000	4700	M10

Quantity per Item	Item Number	Item Description	Cut Strength (lbs)	Pull Strength (lbs)	Keyway
1	172-50091	50mm Laminated Steel w/ 1-7/16" Boron Shackle	12900	3800	M1
3	172-50391	50mm Laminated Steel w/ 1-7/16" Boron Shackle, 3pk	12900	3800	M1

Quantity per Item	Item Number	Item Description	Cut Strength (lbs)	Pull Strength (lbs)	Keyway
1	172-52091	50mm Laminated Steel w/ 2" Boron Shackle	11000	2000	M1
2	172-52291	50mm Laminated Steel w/ 2" Boron Shackle, 2pk	11000	2000	M1



44mm (lock body size)

Quantity per Item	Item Number	Item Description	Cut Strength (lbs)	Pull Strength (lbs)	Keyway
1	677-44052	44mm Laminated Steel Weather Resistant XT Plus w/ 2-3/8" Boron Shackle	9700	5200	M1
2	677-44252	44mm Laminated Steel Weather Resistant w/ 2-3/8" Boron Shackle, 2pk	9700	5200	M1
4	677-44452	44mm Laminated Steel Weather Resistant w/ 2-3/8" Boron Shackle, 4pk	9700	5200	M1



50mm (lock body size)

Quantity per Item	Item Number	Item Description	Cut Strength (lbs)	Pull Strength (lbs)	Keyway
1	677-52051	50mm Laminated Steel Weather Resistant XT Plus Series w/ 2" Boron Shackle	13046	6204	M10



Quantity per Item	Item Number	Item Description	Cut Strength (lbs)	Pull Strength (lbs)	Keyway
1	672-50001	50mm Laminated Steel TPE w/ 1-1/8" Boron Shackle	10000	4000	M10
2	672-50201	50mm Laminated Steel TPE w/ 1-1/8" Boron Shackle, 2pk	11000	4000	M10
4	672-50401	50mm Laminated Steel TPE w/ 1-1/8" Boron Shackle, 4pk	11000	4000	M10
6	672-50601	50mm Laminated Steel TPE w/ 1-1/8" Boron Shackle, 6pk	11000	4000	M10



Quantity per Item	Item Number	Item Description	Cut Strength (lbs)	Pull Strength (lbs)	Keyway
1	677-52001	50mm Laminated Steel XT Series w/ 2" Boron Shackle	12000	5700	M10
2	677-52201	50mm Laminated Steel XT Series w/ 2" Boron Shackle, 2pk	11000	4700	M10
4	677-52401	50mm Laminated Steel XT Series w/ 2" Boron Shackle, 4pk	11000	4700	M1



Quantity per Item	Item Number	Item Description	Cut Strength (lbs)	Pull Strength (lbs)	Keyway
1	672-52001	50mm Laminated Steel TPE w/ 2" Boron Shackle	11000	5000	M10
2	672-52201	50mm Laminated Steel TPE w/ 2" Boron Shackle, 2pk	11000	5000	M10
4	672-52401	50mm Laminated Steel TPE w/ 2" Boron Shackle, 4pk	11000	5000	M10



60mm (lock body size)

Quantity per Item	Item Number	Item Description	Cut Strength (lbs)	Pull Strength (lbs)	Keyway
1	672-60001	60mm Laminated Steel TPE w/ 1-1/4" Boron Shackle	17000	8000	M1



Commercial Stainless Steel Laminated



44mm (lock body size)

Quantity per Item	Item Number	Item Description	Cut Strength (lbs)	Pull Strength (lbs)	Keyway
1	677-44811	44mm Stainless Steel Laminated w/ 2" Shackle	5200	1900	M1
2	677-44812	44mm Stainless Steel Laminated w/ 2" Shackle, 2pk	5200	1900	M1



50mm (lock body size)

Quantity per Item	Item Number	Item Description	Cut Strength (lbs)	Pull Strength (lbs)	Keyway
1	677-52811	50mm Stainless Steel Laminated w/ 2" Shackle	8400	1900	M10
4	677-52814	50mm Stainless Steel Laminated w/ 2" Shackle, 4pk	8400	1900	M10



Commercial Weather Resistant Resettable



Quantity per Item	Item Number	Item Description	Cut Strength (lbs)	Pull Strength (lbs)	Keyway
1	673-80001	50mm Marine 4-Dial Reset Combo w/ Boron Shackle	7200	1100	n/a



Commercial Stainless Steel Discus



70mm (lock body size)

Quantity per Item	Item Number	Item Description	Cut Strength (lbs)	Pull Strength (lbs)	Keyway
1	673-70001	70mm Stainless Steel Discus w/ Bumpers	8100	n/a	M1
2	673-70201	70mm Stainless Steel Discus w/ Bumpers, 2pk	8100	n/a	M1
4	673-70401	70mm Stainless Steel Discus w/ Bumpers, 4pk	8100	n/a	M1



80mm (lock body size)

Quantity per Item	Item Number	Item Description	Cut Strength (lbs)	Pull Strength (lbs)	Keyway
1	673-80002	80mm Stainless Steel Discus w/ Bumpers	13000	n/a	M1
2	673-80202	80mm Stainless Steel Discus w/ Bumpers, 2pk	13000	n/a	M1
4	673-80402	80mm Stainless Steel Discus w/ Bumpers, 4pk	13000	n/a	M1





Commercial Stainless Steel - Keyed



37mm (lock body size)

Quantity per Item	Item Number	Item Description	Cut Strength (lbs)	Pull Strength (lbs)	Keyway
1	672-40811	37mm Stainless Steel w/ 13/16" Shackle	4,300	1,600	M10



50mm (lock body size)

Quantity per Item	Item Number	Item Description	Cut Strength (lbs)	Pull Strength (lbs)	Keyway
1	672-50811	50mm Stainless Steel w/ 1" Shackle	8400	2400	M1



Commercial Solid Steel - Keyed



63.5mm (lock body size)

Quantity per Item	Item Number	Item Description	Cut Strength (lbs)	Pull Strength (lbs)	Keyway
1	672-52701	63.5mm Solid Steel w/ 2" Boron Shackle	17000	10000	A1045



Commercial Solid Brass - Keyed



50mm (lock body size)

Quantity per Item	Item Number	Item Description	Cut Strength (lbs)	Pull Strength (lbs)	Keyway
1	671-50001	50mm Solid Brass w/ Boron Shackle	7000	1000	VR2



Quantity per Item	Item Number	Item Description	Cut Strength (lbs)	Pull Strength (lbs)	Keyway
1	671-50061	50mm Solid Brass w/ Adjustable Boron Shackle	3000	2300	VR7



Commercial Solid Brass - Resettable Combo



48mm (lock body size)

Quantity per Item	Item Number	Item Description	Cut Strength (lbs)	Pull Strength (lbs)	Keyway
1	171-50051	48mm Solid Brass 4-Dial Reset Combo	6000	650	n/a



50mm (lock body size)

Quantity per Item	Item Number	Item Description	Cut Strength (lbs)	Pull Strength (lbs)	Keyway
1	671-49002	50mm Brass 4-Dial Reset Combo, 2-3/8" Boron Shackle	7000	1000	n/a
2	671-49202	50mm Brass 4-Dial Reset Combo, 2-3/8" Boron Shackle, 2pk	7000	1000	n/a



SPECIALITY LOCK



TSA Keyed Luggage Locks

STANDARD
SECURITY

22mm (lock body size)

Quantity per Item	Item Number	Item Description	Cut Strength (lbs)	Pull Strength (lbs)	Keyway
2	171-20271	22mm Solid Brass TSA, 2pk	n/a	n/a	Keyed TSA
4	171-20471	22mm Solid Brass TSA, 4pk	n/a	n/a	Keyed TSA



TSA Resettable Combo Luggage Locks

STANDARD
SECURITY

25mm (lock body size)

Quantity per Item	Item Number	Item Description	Cut Strength (lbs)	Pull Strength (lbs)	Keyway
1	175-25104	25mm Zinc 3-Dial Reset Combo TSA w/ Assorted Colors	n/a	n/a	n/a



Quantity per Item	Item Number	Item Description	Cut Strength (lbs)	Pull Strength (lbs)	Keyway
1	175-25105	25mm Zinc 3-Dial Reset Combo TSA w/ Flexible Braided Cable Shackle	n/a	n/a	n/a



Dial Combinations

STANDARD
SECURITY

48mm (lock body size)

Quantity per Item	Item Number	Item Description	Cut Strength (lbs)	Pull Strength (lbs)	Keyway
1	172-49006	48mm Dial Combination, Safe Dial Style	3500	600	n/a



48mm (lock body size)

Quantity per Item	Item Number	Item Description	Cut Strength (lbs)	Pull Strength (lbs)	Keyway
2	174-49204	48mm Dial Combination Anodized, Assorted Colors, 2pk	3500	600	n/a



48mm (lock body size)

Quantity per Item	Item Number	Item Description	Cut Strength (lbs)	Pull Strength (lbs)	Keyway
1	172-49001	48mm Dial Combination Steel	3000	350	n/a



Resettable Sport Locks


STANDARD
SECURITY

40mm (lock body size)

Quantity per Item	Item Number	Item Description	Cut Strength (lbs)	Pull Strength (lbs)	Keyway
1	175-40051	40mm 4-Dial Reset Combo Sports Style w/ Carabiner Clip	n/a	n/a	n/a



Quantity per Item	Item Number	Item Description	Cut Strength (lbs)	Pull Strength (lbs)	Keyway
1	175-50054	40mm 4-Dial Reset Combo Sports Style, Assorted Colors	4000	400	n/a



Hasps

STANDARD
SECURITY

Quantity per Item	Item Number	Item Description	Cut Strength (lbs)	Pull Strength (lbs)	Keyway
1	175-80035	Hasp 7.5" Straight Bar	n/a	n/a	n/a



Commercial Hasps

BRINKS
COMMERCIAL

Quantity per Item	Item Number	Item Description	Cut Strength (lbs)	Pull Strength (lbs)	Keyway
1	672-74232	Commercial Puck Lock w/ Round Hasp	n/a	n/a	A1045



Quantity per Item	Item Number	Item Description	Cut Strength (lbs)	Pull Strength (lbs)	Keyway
1	675-84501	Commercial 4.5" Steel Hasp	n/a	n/a	n/a



Quantity per Item	Item Number	Item Description	Cut Strength (lbs)	Pull Strength (lbs)	Keyway
1	675-87752	Commercial 7.75" Double Hinge Hasp	n/a	n/a	n/a





CABLE & ACCESSORIES



Cable - Keyed

HIGH
SECURITY

Quantity per Item	Item Number	Item Description	Cut Strength (lbs)	Pull Strength (lbs)	Keyway
1	175-38606	3/8" X 6' Keyed Cable, Assorted Colors w/ Reflex Stripe	3200	n/a	M1



Cable - Loop Ended

STANDARD
SECURITY

Quantity per Item	Item Number	Item Description	Cut Strength (lbs)	Pull Strength (lbs)	Keyway
1	175-06001	1/4" X 6' Flexible Steel Cable, Loop Ended	1500	n/a	n/a



Quantity per Item	Item Number	Item Description	Cut Strength (lbs)	Pull Strength (lbs)	Keyway
1	175-38150	3/8" X 15' Flexible Steel Cable, Loop Ended	3100	n/a	n/a



Quantity per Item	Item Number	Item Description	Cut Strength (lbs)	Pull Strength (lbs)	Keyway
1	175-25481	40mm Laminated Steel Sure Grip Weather Resistant, 4 ft Looped Spare Tire Cable	2800	1200	M1



Cable - Resettable Combo

HIGH
SECURITY

Quantity per Item	Item Number	Item Description	Cut Strength (lbs)	Pull Strength (lbs)	Keyway
1	175-38654	3/8" X 6' Flexible Steel Vinyl Cable, 4-Digit Combination Lock	2,000	n/a	n/a



Cable Accessories

HIGH
SECURITY

Quantity per Item	Item Number	Item Description	Cut Strength (lbs)	Pull Strength (lbs)	Keyway
1	175-07007	98mm Mini U-Bar w/ 3-7/8" Shackle	11195	7979	Tubular Key



Commercial Cable - Keyed



Quantity per Item	Item Number	Item Description	Cut Strength (lbs)	Pull Strength (lbs)	Keyway
1	675-65801	5/8" X 6' Commercial Braided Keyed Cable - Heavy Duty Vinyl Wrap for Corrosion Protection	5660	n/a	M1



Commercial Cable - Loop Ended



Quantity per Item	Item Number	Item Description	Cut Strength (lbs)	Pull Strength (lbs)	Keyway
1	675-62701	5/8" X 7' Flexible Steel Cable, Loop Ended	5760	n/a	n/a

LOCK BOX



Lock Box - 4 - Dial Resettable Combination



Quantity per Item	Item Number	Item Description	Cut Strength (lbs)	Pull Strength (lbs)	Keyway
1	675-80001	79mm 4-Dial Reset Combo w/ Steel Shackle	3500	1095	n/a

SECURITY BAR



Adjustable Door and Window Bar



Quantity Per Item	Item Number	Item Name	Cut Strength (lbs)	Pull Strength (lbs)	Weather Resistant	Keyway
1	675-83001	Heavy-Duty Dual Function Door Security Bar, Silver	n/a	n/a	n/a	n/a



© 2019 Hampton Products International Corp.
50 Icon, Foothill Ranch, CA 92610
1-800-562-5625
998-00128