



**2024**  
Brinks Commercial Product Catalog

***Proven Quality Hardware From  
One of the Most Trusted Names in Security***

[brinkscommercial.com](https://brinkscommercial.com) / 1-866-LOCK-PRO (1-866-562-5776)

# About us

## High-Quality, True Commercial Hardware

Brinks, one of the most trusted names in security, delivers superior quality commercial door hardware and custom ordering options for professionals. We offer a breadth of door closers, Grade 2 levers & knobs, Grade 1 deadbolts and accessories that can be found in areas such as office buildings, small businesses, warehouses and more. At Brinks we take commercial hardware seriously. Our team of engineers apply their technical fortitude to develop products that exceed customer and industry expectations. Our industry experience led to innovative breakthroughs like our patented Universal Mounting Plate, which provides quick and easy door closer replacement. This allows our customers to save time and money while providing them peace of mind knowing their facilities are in good hands.

Above all, we remain focused on our customers and building long term partnerships. Our Customer Care Team is ready to provide expert knowledge and technical support and we proudly stand behind our products with a competitive warranty.



## PROGRAM OVERVIEW



**Keying Services &  
Order Prep**



**Comprehensive  
Commercial Hardware  
Program**



**Dedicated Service Reps**

## Need Help?

Our staff is ready to help:

- Live chat from 7:00 am to 4:00 pm PST at **brinkcommercial.com**
- By phone from 7:00 am to 4:00 pm PST at **866-LOCK-PRO**

Product specifications and installation videos available at **brinkcommercial.com**



## Your One-Stop-Shop for All Things Multifamily and MRO

Facility Managers

Maintenance

Technicians

Locksmiths

Handymen

Contractors

Complement office or interior doors with these great accessories!

Great choice for closets, hallway doors, bedrooms or bathrooms!

Ball Bearing Door Hinges

Floor Mounted Door Stop


Floor Mounted Door Stop with Holder

Pull Plate 16"

Push Plate 16"

Light Duty Passage Lever

Light Duty Privacy Lever



Ideal for hallway doors and corridor exits

Medium and Heavy Duty Commercial Door Closers



Exit/Panic Device



Pull Plate with Cylinder Hole

Perfect for keeping entryways secured

Single Cylinder Deadbolt

Heavy Duty Keyed Entry Lever



Heavy Duty Commercial Door Closer



Perfect solution for unit entry doors or utility closets

Single Cylinder Deadbolt



Light Duty Keyed Entry Lever



# Table of Contents

|   |           |
|---|-----------|
| <b>Closers (surface mounted) .....</b>    | <b>5</b>  |
| Commercial Closers .....                  | 6         |
| Residential Closers .....                 | 10        |
| <b>Locksets .....</b>                     | <b>12</b> |
| Lever/Knob Functions .....                | 13        |
| Levers .....                              | 14        |
| Knobs .....                               | 18        |
| Knob & Deadbolt Combo .....               | 19        |
| Deadbolt .....                            | 20        |
| <b>Exit Device (and accessories).....</b> | <b>22</b> |
| Exit Device (push bar).....               | 23        |
| Exit Device Trim (pull handle) .....      | 24        |
| <b>Flat Goods &amp; Accessories .....</b> | <b>25</b> |
| Dome Floor Stop .....                     | 26        |
| Floor Stop with Holder.....               | 26        |
| Kick Down Floor Stop .....                | 26        |
| Wall Mounted Door Stop .....              | 27        |
| Door Silencers.....                       | 27        |
| Privacy Door Latch.....                   | 27        |
| ASA Strike.....                           | 28        |
| 4½" Ball Bearing Door Hinge .....         | 28        |
| Spring Hinge Pack .....                   | 28        |
| Restroom Slide Latch .....                | 29        |
| Restroom Indicator Latch .....            | 29        |
| Restroom Door Hook .....                  | 29        |
| <b>Pull/Push/Kick Plates .....</b>        | <b>30</b> |
| Pull Plates .....                         | 31        |
| Push Plates .....                         | 31        |
| <b>Door Handles .....</b>                 | <b>32</b> |
| "C" Style Pull Handle .....               | 33        |
| "H" Style Pull Handle .....               | 33        |
| 90-Degree Offset Door Pull Handle.....    | 33        |




# Closers (surface mounted)




(BC4061)

## Brinks Commercial Universal Mounting Plate Fits Most Installations

U.S. Pat. 7,698,796



Brinks Commercial offers a closer for any commercial door, but our patented universal mounting plate is what sets us apart in closer installation. This mounting plate has holes that match the hole patterns of most closers in the market. Replace a broken closer without drilling new holes in an expensive or fire-rated door.



Scan and see why the All-In-One closer is the PRO's choice for retrofit applications.



|          | Description                | All-In-One Heavy Duty Commercial Door Closer      | Heavy Duty Commercial Door Closer                 | Medium Duty Commercial Door Closer     | Heavy Duty Residential Door Closer | Light Duty Residential Hold Open Door Closer |
|----------|----------------------------|---|---|--|------------------------------------|--|
|          |                            | BC4061- Aluminum                                  | BC4031- Aluminum                                  | BC4051- Aluminum                       | BC4007- White                      | BC4009- White                                |
|          | Case Pack Quantity         | 3   | 3   | 3                                      | 3                                  | 3  |
|          |                            | Replacement or New Installation                   | Replacement or New Installation                   | Replacement or New Installation        | Replacement or New Installation    | Replacement or New Installation              |
|          | Replacement or New Install | High Traffic                                      | High Traffic                                      | Medium Traffic                         | Medium Traffic                     | Low Traffic                                  |
|          |                            | High Traffic                                      | High Traffic                                      | Medium Traffic                         | Medium Traffic                     | Low Traffic                                  |
| Mounting | Standard (Pull)            | ✓   | ✓   | ✓                                      | ✓                                  | N/A  |
|          | Top Jamb (Push)            | ✓   | ✓   | ✓                                      | ✓                                  | N/A  |
|          | Parallel Arm (Push)        | ✓   | ✓   | ✓                                      | N/A                                | ✓  |
| Finish   | Body Cover                 | Plastic   | N/A   | N/A                                    | Plastic                            | Plastic                                      |
| Specs    | Hold Open Engagement       | N/A   | N/A   | N/A                                    | N/A                                | 80°  |
|          | Universal Mounting Plate   | ✓   | N/A   | N/A                                    | N/A                                | N/A  |
|          | Body Material              | Aluminum  | Aluminum  | Aluminum                               | Aluminum                           | Aluminum                                     |
|          | Adjustability              | Adjustable closing, latching and backcheck speeds | Adjustable closing, latching and backcheck speeds | Adjustable closing and latching speeds | Adjustable closing speed           | Adjustable closing speed                     |
|          | ADA Compliant              | ✓   | ✓   | N/A                                    | N/A                                | ✓  |
|          | Warranty                   | 10 Year Limited                                   | 10 Year Limited                                   | 10 Year Limited                        | 5 Year Limited                     | 5 Year Limited                               |
|          | UL 10C                     | 3-Hour Fire                                       | 3-Hour Fire                                       | 3-Hour Fire                            | 3-Hour Fire                        | N/A  |
|          | ANSI Grade                 | Grade 1   | Grade 1   |  |                                    |  |
|          | Closer Size                | Adjustable 1 through 6                            | Adjustable 1 through 5                            | 3                                      | 3                                  | 1  |
|          | Opening Range              | 180°  | 180°  | 180°                                   | 155°                               | 180°   |
|          | Exterior Door Size         | Up to 48"   | Up to 42"   | Up to 30"                              | Up to 30"                          | N/A  |
|          | Interior Door Size         | Up to 60"   | Up to 54"   | Up to 38"                              | Up to 38"                          | Up to 30"                                    |

## Closer Mounting Options

### STANDARD MOUNT



### PARALLEL MOUNT



### TOP JAMB MOUNT







## All-In-One Heavy Duty Commercial Closer



**3 HOUR  
FIRE  
RATED**



| FINISH      | MFG SKU |
|-------------|---------|
| Aluminum    | BC4061  |
| Bronze      | BC4062  |
| Matte Black | BC4063  |



### Specifications:

ANSI Grade 1

UL 3-Hour Fire Rated

Body: Aluminum (plastic cover)

Finishes: Aluminum (BC4061), Bronze (BC4062), Matte Black (BC4063)



Closer Size: Adjustable 1 through 6

Opening Range: 180°

Exterior Door Size: Up to 48"

Interior Door Size: Up to 60"


### Parallel Arm (Push Side) Mounting



Universal  
Mounting Plate  
included



| Opening<br>Angle | A      |    | B       |     | C       |     |
|------------------|--------|----|---------|-----|---------|-----|
|                  | in     | mm | in      | mm  | in      | mm  |
| 120°             | 3-5/16 | 84 | 9-3/16  | 233 | 23-3/4  | 603 |
| 180°             | 13/16  | 21 | 6-11/16 | 170 | 21-5/16 | 541 |



Dimensions for additional mounting options can be found at: [www.brinkscommercial.com](http://www.brinkscommercial.com)



## Heavy Duty Commercial Closer



**3 HOUR  
FIRE  
RATED**



### Specifications:

ANSI Grade 1

UL 3-Hour Fire Rated

Body: Aluminum

Closer Size: Adjustable 1 through 5

Opening Range: 180°


Exterior Door Size: Up to 42"

Interior Door Size: Up to 54"



| FINISH      | MFG SKU |
|-------------|---------|
| Aluminum    | BC4031  |
| Bronze      | BC4032  |
| Matte Black | BC4033  |



### Parallel Arm Installation



| Opening Angle | A       |     | B       |     | C        |     |
|---------------|---------|-----|---------|-----|----------|-----|
|               | in      | mm  | in      | mm  | in       | mm  |
| 100°          | 7-5/16  | 186 | 8-15/16 | 227 | 23-11/16 | 602 |
| 120°          | 5-7/8   | 149 | 7-1/2   | 190 | 22-3/16  | 564 |
| 180°          | 3-13/16 | 97  | 5-7/16  | 138 | 20-3/16  | 513 |



Dimensions for additional mounting options can be found at: [www.brinkscommercial.com](http://www.brinkscommercial.com)





## Medium Duty Commercial Closer



**3 HOUR  
FIRE  
RATED**



| FINISH      | MFG SKU |
|-------------|---------|
| Aluminum    | BC4051  |
| Bronze      | BC4052  |
| Matte Black | BC4053  |



Aluminum



Bronze



Matte Black

### Specifications:

UL 3-Hour Fire Rated

Body: Aluminum



Closer Size: 3

Opening Range: 180°


Exterior Door Size: Up to 30"

Interior Door Size: Up to 38"

### Parallel Arm Installation



| Opening Angle | A     |     | B       |     | C       |     |
|---------------|-------|-----|---------|-----|---------|-----|
|               | in    | mm  | in      | mm  | in      | mm  |
| 100°          | 7-1/4 | 184 | 8-15/16 | 227 | 23-9/16 | 559 |
| 130°          | 5-3/4 | 146 | 7-1/2   | 190 | 22-1/16 | 560 |
| 180°          | 3-3/4 | 95  | 5-7/16  | 138 | 20-1/16 | 510 |



Dimensions for additional mounting options can be found at: [www.brinkscommercial.com](http://www.brinkscommercial.com)



## Heavy Duty Residential Closer



**3 HOUR  
FIRE  
RATED**



| FINISH      | MFG SKU |
|-------------|---------|
| White       | BC4007  |
| Matte Black | BC4008  |

### Specifications:

UL 3-Hour Fire Rated

Body: Aluminum

Closer Size: 3

Opening Range: 155°

Exterior Door Size: Up to 30"

Interior Door Size: Up to 38"





White




Matte Black

### Standard (Pull Side) Mounting (Cover Not Shown)



| Opening Angle | A       |     | B      |     | C      |     |
|---------------|---------|-----|--------|-----|--------|-----|
|               | in      | mm  | in     | mm  | in     | mm  |
| 120°          | 4-15/16 | 125 | 8-5/16 | 211 | 11-1/2 | 292 |
| 155°          | 2-3/16  | 56  | 5-9/16 | 141 | 8-3/4  | 222 |



Dimensions for additional mounting options can be found at: [www.brinkscommercial.com](http://www.brinkscommercial.com)





## Light Duty Residential Closer



**HOLD  
OPEN**



| FINISH      | MFG SKU |
|-------------|---------|
| White       | BC4009  |
| Matte Black | BC4010  |



White



Matte Black

### Specifications:

Body: Aluminum

Closer Size: 1


Opening Range: 180°

Hold Open Engagement: 80°


Exterior Door Size: N/A

Interior Door Size: Up to 30"

### Parallel Arm (Push Side) Mounting (Cover Not Shown)







| Opening Angle | A       |     | B      |     |
|---------------|---------|-----|--------|-----|
|               | in      | mm  | in     | mm  |
| 120°          | 4-15/16 | 125 | 8-5/16 | 211 |
| 155°          | 2-3/16  | 56  | 5-9/16 | 141 |



# Locksets




## Lever/Knob Functions

| Outside/Inside  | Function              | ANSI No                     | Function Description  |
|---|-----------------------|-----------------------------|---|
|    | Passage               | F75                         | The Passage lever has a latchbolt that is operated by the lever from either side at all times. It does not have a lock function.  |
|    | Privacy               | F76                         | The Privacy lever has a latchbolt that is operated by the lever from either side, except when the outside lever is locked by the turn button inside. An emergency release on the outside unlocks the locking device. The turn button must be in the unlocked position for the outside or inside lever to operate.   |
|   |                       | F76A<br>(Panic release)     | <b>ANSI F76A (Panic release):</b><br>The privacy lever has a latch bolt that's operated by the lever from either side, except when the outside lever is locked by the push button inside. An emergency release on the outside unlocks the locking device. Inside lever is always free for immediate egress.   |
|   |                       | F76B<br>(Non-Panic release) | <b>ANSI F76B: Privacy Lock (non-panic release):</b><br>Latchbolt operated by lever from either side except when outside lever is locked by turn button inside. Emergency release on outside unlocks locking device. Turn button shall be in unlocked position for outside or inside lever to operate latch bolt.  |
|  | Keyed Entry           | F81                         | <b>F81: Entry Lock</b><br>Deadlocking latchbolt operated by lever from either side except when outside lever is locked by turn button inside. Operating key in outside lever locks or unlocks locking device. Turn button shall be in unlocked position for outside or inside lever to operate latch bolt.  |
|   |                       | F82B                        | <b>F82B: Entry Lock</b><br>Deadlocking latchbolt operated by knob or lever from either side except when outside knob/lever is locked by turn button or push button inside. Operating key in outside knob/lever unlocks locking device. Operating inside knob/lever unlocks locking mechanism and operates latch bolt.   |
|   |                       | F109                        | <b>F109: Entry Lock (dual locking functionality)</b><br>Deadlocking latchbolt operated by lever from either side except when outside lever is locked by turn button or push button inside. Operating key in outside lever or operating inside lever releases the push or turn button unlocking outside lever except when push or turn button has been both pushed and rotated to keep outside lever locked. When pushed and rotated, inside push or turn button must be manually operated to unlock outside lever. Inside lever is always free. |
|  | Keyed Entry-Storeroom | F86                         | The Keyed Entry – Storeroom lever has a deadlocking latchbolt operated by a key in the outside lever or by rotating the inside lever. The outside lever is always locked. The Keyed Entry – Storeroom lever has a deadlocking latchbolt operated by a key in the outside lever or by rotating the inside lever. The outside lever is always locked.   |



## Light Duty



**3 HOUR  
FIRE  
RATED**



| FUNCTION          | FINISH       | MFG SKU |
|-------------------|--------------|---------|
| Passage           | Satin Chrome | BC40047 |
| Passage           | Matte Black  | BC40101 |
| Privacy (F76B)    | Satin Chrome | BC40048 |
| Privacy (F76B)    | Matte Black  | BC40100 |
| Keyed Entry (F81) | Satin Chrome | BC40049 |
| Keyed Entry (F81) | Matte Black  | BC40098 |
| Storeroom (F86)   | Satin Chrome | BC40050 |
| Storeroom (F86)   | Matte Black  | BC40099 |

### Specifications:

ANSI Grade 2

UL 3-Hour Fire Rated

Adjustable backset: 2-3/8" and 2-3/4"

Rosette Diameter: 2-5/8"

Finishes: Satin Chrome, Matte Black

Lever Handle Length: 3-3/4"

Chassis: Tubular

Door range: 1-3/8" to 2"

Keyway: SC1, 5 pin


Strikes: T-strike and full lip



Satin Chrome



Matte Black



## Heavy Duty



**3 HOUR  
FIRE  
RATED**



### Flat Lever

| FUNCTION           | FINISH       | MFG SKU |
|--------------------|--------------|---------|
| Passage            | Satin Chrome | BC40017 |
| Privacy (F76)      | Satin Chrome | BC40018 |
| Keyed Entry (F82B) | Satin Chrome | BC40019 |
| Storeroom (F86)    | Satin Chrome | BC40046 |
| Passage            | Matte Black  | BC40110 |
| Privacy (F76)      | Matte Black  | BC40111 |
| Keyed Entry (F82B) | Matte Black  | BC40112 |
| Storeroom (F86)    | Matte Black  | BC40113 |

### Specifications:

ANSI Grade 2

UL 3-Hour Fire Rated

Fixed backset: 2-3/4"

Rosette Diameter: 3-5/16"

Finishes: Satin Chrome, Matte Black

Lever Handle Length: 4-5/8"

Chassis: Cylindrical

Door range: 1-3/8" to 2"

Keyway: SC4, 6 pin

Strikes: T-strike (1-1/8" x 2-3/4") and ASA Strike (1-1/4" x 4-7/8")



Satin Chrome



Matte Black



Heavy Duty

Lever





**3 HOUR  
FIRE  
RATED**



Deadbolt




| FUNCTION           | FINISH       | MFG SKU |
|--------------------|--------------|---------|
| Keyed Entry (F109) | Satin Chrome | BC40032 |
| Keyed Entry (F109) | Matte Black  | BC40114 |



### Lever Specifications:


ANSI Grade 2  
 UL 3-Hour Fire Rated  
 Fixed backset: 2-3/4"  
 Rosette Diameter: 3-5/16"  
 Finish: Satin Chrome  
 Lever Handle Length: 4-5/8"  
 Chassis: Cylindrical  
 Door range: 1-3/8" to 2"  
 Keyway: SC4, 6 pin  
 Strikes: T-Strike (1-1/8" to 2-3/4") and ASA Strike (1-1/4" x 4-7/8")

### Deadbolt Specifications:

ANSI Grade 1  
 UL 3-Hour Fire Rated  
 Adjustable backset: 2-3/8" or 2-3/4"  
 Rosette Diameter: 2-1/2"  
 Finish: Satin Chrome  
 Thumbturn Length: 2"  
 Door range: 1-3/8" to 2"  
 Keyway: SC4, 6 pin  
 Strikes: Rectangular with Square corners (1-1/8" x 2-3/4")



| FUNCTION          | FINISH       | MFG SKU |
|-------------------|--------------|---------|
| Keyed Entry Lever | Satin Chrome | BC40107 |



### Specifications:

- ANSI Grade 2
- Adjustable backset: 2-3/8" and 2-3/4"
- Finishes: Satin Chrome
- Lever Handle Length: 3-3/4"
- Door range: 1-3/8" to 2"
- Keyway: SC4, 6 pin
- Cylinder: Brass
- Strikes: Full lip



## Light Duty



**3 HOUR  
FIRE  
RATED**



| FUNCTION          | FINISH       | MFG SKU |
|-------------------|--------------|---------|
| Passage           | Satin Chrome | BC40051 |
| Passage           | Matte Black  | BC40105 |
| Privacy (F76B)    | Satin Chrome | BC40057 |
| Privacy (F76B)    | Matte Black  | BC40104 |
| Keyed Entry (F81) | Satin Chrome | BC40052 |
| Keyed Entry (F81) | Matte Black  | BC40103 |
| Storeroom (F86)   | Satin Chrome | BC40053 |
| Storeroom (F86)   | Matte Black  | BC40102 |

### Specifications:

ANSI Grade 2

UL 3-Hour Fire Rated

Adjustable backset: 2-3/8" and 2-3/4"

Rosette Diameter: 2-5/8"

Finishes: Satin Chrome

Chassis: Tubular

Door range: 1-3/8" to 2"

Keyway: SC1, 5 pin

Strikes: T-strike and full lip



Satin Chrome




Matte Black



**3 HOUR  
FIRE  
RATED**



Knob



Deadbolt



| FUNCTION                              | FINISH       | MFG SKU |
|---------------------------------------|--------------|---------|
| Keyed Entry &<br>Deadbolt Combo (F76) | Satin Chrome | BC40054 |
| Keyed Entry &<br>Deadbolt Combo (F76) | Matte Black  | BC40106 |



Satin Chrome



Matte Black



## Specifications:

ANSI Grade 2

UL 3-Hour Fire Rated

Adjustable backset: 2-3/8" and 2-3/4"

Finishes: Satin Chrome, Matte Black



Rosette Diameter: (Knob) 2-5/8"

Knob Chassis: Tubular

Door range: 1-3/8" to 2"

Keyway: SC1, 5 pin

Strikes: T-strike and full lip (included)





**3 HOUR  
FIRE  
RATED**



| FUNCTION                 | FINISH       | MFG SKU |
|--------------------------|--------------|---------|
| Single Cylinder Deadbolt | Satin Chrome | BC40055 |
| Single Cylinder Deadbolt | Matte Black  | BC40130 |

### Single Cylinder Deadbolt



| FUNCTION                 | FINISH       | MFG SKU |
|--------------------------|--------------|---------|
| Double Cylinder Deadbolt | Satin Chrome | BC40056 |

### Double Cylinder Deadbolt



### Specifications:

Grade 1

UL 3-Hour Fire Rated

Adjustable backset: 2-3/8" and 2-3/4"


Finishes: Satin Chrome, Matte Black

Door range: 1-3/8" to 2"

Keyway: SC4, 6 pin

Cylinder: Brass

Strikes: Strike and reinforcement





| FINISH       | MFG SKU |
|--------------|---------|
| Satin Chrome | BC40131 |

### Specifications:

ANSI Grade 2


Adjustable backset: 2-3/8" and 2-3/4"

Finish: Satin Chrome

Door range: 1-3/8" to 2"

Strikes: Square strike and reinforcement plate

### Grade 2 Indicator Deadbolt





# Exit Device (and accessories)






| FINISH       | MFG SKU |
|--------------|---------|
| Satin Chrome | BC40010 |
| Matte Black  | BC41015 |


### Exit Device



### Applications



Single rim device



Two rim devices with mullion — same direction

### Specifications:

ANSI Grade 1

Door width range: 28" to 42"\*

\* 36" – 42" door width range without modification

28" – 35" door width range with cutting of the rail frame 30" minimum door width for a double door + mullion installation

Head Cover Dimensions: 8-1/2" x 2-3/4" x 2-1/2"

Push bar projection: 2-1/2" (push bar neutral)

1-15/16" (push bar depressed)

Door thickness range: 1-3/4" – 2"

Latch bolt: Deadlocking with 5/8" projection

Dogging device: Yes, hex key included

ADA Compliant: Yes, with lever trim

Cylinder keyway: SC4

Strikes: Surface mounted strike with 1/8" strike shim


Finishes: Aluminum, Matte Black

Included: Brass rim cylinder and steel pull

## Exit Device Trims



| FUNCTION         | FINISH       | MFG SKU |
|------------------|--------------|---------|
| Exit Device Trim | Satin Chrome | BC40011 |
| Exit Device Trim | Matte Black  | BC41016 |



\* Cylinder not included with pull handle.  
Cylinder included with BC40010 or BC41015.

### Specifications:

Trim function: Pull Handle

Function description: Key retracts bolt  
(cylinder included with BC40010 or BC41015);  
Cylinder sleeve included for 161 door prep

Escutcheon plate size: 12-5/16" x 3"

Pull center to center: 5-1/2"

Projection: 1-3/4"

Finishes: Satin Chrome, Matte Black

Handing: Reversible

Through-bolt design

Night latch function: Yes

Door thickness range: 1-3/4" to 2"

### Specifications:

Cycle Tested: 250,000

Function Descriptions: Passage and Storeroom  
Designed to work with Brinks Commercial Exit  
Device (BC40010)

ADA Compliant

3-3/8" diameter rose

Non-clutching

Door thickness: 1-3/4"-2"

Non-handed/ Reversible

| FUNCTION                               | FINISH       | MFG SKU |
|--|--------------|---------|
| Exit Device<br>Passage Lever Trim      | Satin Chrome | BC40031 |
| Exit Device<br>Storeroom Lever<br>Trim | Satin Chrome | BC40036 |



# Flat Goods & Accessories





| FUNCTION              | FINISH       | MFG SKU |
|-----------------------|--------------|---------|
| Floor Mount Door Stop | Satin Chrome | BC40074 |
| Floor Mount Door Stop | Matte Black  | BC41019 |



### Specifications:

Base Material: Solid cast brass

Diameter: 1-3/4"

Height without riser: 1-1/8"

Height with riser: 1-1/2"

Fasteners: (1) #12 x 1-1/2" Wood Screw,  
(1) 1/4"-20 x 1" Machine Screw

Finishes: Satin Chrome, Matte Black

Bumper: Rubber

Mounting: Floor mounted

| FUNCTION                             | FINISH       | MFG SKU |
|--------------------------------------|--------------|---------|
| Floor Mount Door Stop<br>with Holder | Satin Chrome | BC40076 |
| Floor Mount Door Stop<br>with Holder | Matte Black  | BC40108 |



### Specifications:

Base Material: Solid cast brass

Diameter: 2-1/2"

Height: 3-1/2"

Fasteners: (3) #12 x 1-1/2" Wood Screws,  
(1) 5/16"-18 Fully Threaded Rod

Finishes: Satin Chrome, Matte Black

Bumper: Rubber

Mounting: Floor mounted

| FUNCTION             | FINISH       | MFG SKU |
|----------------------|--------------|---------|
| Kick Down Floor Stop | Bronze       | BC41008 |
| Kick Down Floor Stop | Satin Chrome | BC41009 |
| Kick Down Floor Stop | Matte Black  | BC41020 |



### Specifications:

Base Material: Solid cast brass

Height: 4"

Bumper Diameter: 1"

Fasteners: (4) #8 x 1" Wood Screws

Finishes: Satin Chrome, Matte Black

Bumper: Rubber

Mounting: Door mounted

| FUNCTION               | FINISH       | MFG SKU |
|------------------------|--------------|---------|
| Wall Mounted Door Stop | Satin Chrome | BC41023 |
| Wall Mounted Door Stop | Matte Black  | BC41024 |



### Specifications:

Base Material: Stainless Steel

Diameter: 2-1/2"

Projection: 1"

Fasteners: (1) #8 x 1-1/2" wood screw

Finishes: Satin Chrome, Matte Black

Mounting: Wall mounted

| FUNCTION       | MFG SKU |
|----------------|---------|
| Door Silencers | BC41013 |



### Specifications:

Material: Rubber

Diameter: 1/2"

Height: 1/2"

Pack of 12

| FUNCTION           | FINISH       | MFG SKU |
|--------------------|--------------|---------|
| Privacy Door Latch | Satin Chrome | BC40092 |
| Privacy Door Latch | Bronze       | BC40093 |



### Specifications:

Base Material: Zinc Alloy

Height: 2.75"

Fasteners: (3) #12 x 1-3/4" Wood Screws

Finishes: Satin Chrome, Bronze

Mounting: Frame Mounted

| FUNCTION   | FINISH       | MFG SKU |
|------------|--------------|---------|
| ASA Strike | Satin Chrome | BC41012 |
| ASA Strike | Matte Black  | BC41014 |



### Specifications:

Base Material: Stainless Steel

Height: 4-7/8"

Width: 1-7/8"

Fasteners: (2) #8 x 3/4"

Combo Screws

Finishes: Satin Chrome Matte Black

| FUNCTION                       | FINISH       | MFG SKU |
|--------------------------------|--------------|---------|
| 4 1/2" Ball Bearing Door Hinge | Prime Coated | BC41010 |
| 4 1/2" Ball Bearing Door Hinge | Satin Chrome | BC41011 |
| 4 1/2" Ball Bearing Door Hinge | Matte Black  | BC41018 |



### Specifications:

Material: Steel (ANSI A8111)

Gauge of Metal: .140"

Dimensions: 4.5" x 4.5"

Finishes: Prime Coated (BC41010), Satin Chrome (BC41011), BC41018 (Matte Black)

Swaging: 1/16" Swage standard which provides 1/16" of clearance between leaves



Hinges meet the requirements of NFPA 80 Section 6.4.3.1 for use on fire rated doors up to 4 ft wide by 8 ft high and 1-3/4" thick.

| FUNCTION          | FINISH       | MFG SKU |
|-------------------|--------------|---------|
| Spring Hinge Pack | Satin Chrome | BC40132 |



### Specifications:

Material: Steel

Gauge: .140"

Dimensions: 4-1/2" x 4-1/2"

Finish: Satin Chrome

Swaging: 1/16"

Hinges meet the requirements of NFPA 80 Section 6.4.3.1 for use on fire rated doors up to 4 ft wide by 8 ft high and 1-3/4" thick.

| FUNCTION             | FINISH          | MFG SKU |
|----------------------|-----------------|---------|
| Restroom Slide Latch | Stainless Steel | BC40117 |



### Specifications:

Material: SUS 304

Application: Wood or metal doors

Finish: Stainless Steel

Bolt Extension: 1" (25mm)

Hardware: (4) M5 x 3/4" sheet metal screws

| FUNCTION                 | FINISH       | MFG SKU |
|--------------------------|--------------|---------|
| Restroom Indicator Latch | Satin Nickel | BC40118 |



### Specifications:

Material: SUS 201 (Plastic indicator)

Application: Wood or metal doors

Finish: Satin Nickel

Bolt Extension: 3/4"

Hardware: (6) #7 x 1" sheet metal screws, (2) 19/32" sheet metal screws

| FUNCTION           | FINISH                | MFG SKU |
|--------------------|-----------------------|---------|
| Restroom Door Hook | Satin Stainless Steel | BC40119 |



### Specifications:

Material: SUS 304

Application: Wood or metal doors

Finish: Satin Stainless Steel

Projection: 2"

Hardware: (2) #7 3/4" sheet metal screws



# Pull/Push/Kick Plates



| FUNCTION   | FINISH          | MFG SKU |
|------------|-----------------|---------|
| Pull Plate | Stainless Steel | BC41004 |



### Specifications:

Material: Stainless Steel

Size: 4" x 16"

Finishes: Stainless Steel

Handle CTC: 6"

Fasteners: (6) #6 x 5/8" Wood Screws

| FUNCTION   | FINISH      | MFG SKU |
|------------|-------------|---------|
| Pull Plate | Aluminum    | BC41006 |
| Pull Plate | Matte Black | BC41021 |



### Specifications:

Material: Aluminum

Size: 3-1/2" x 15"

Finishes: Aluminum, Matte Black

Handle CTC: 5-1/8"

Fasteners: (6) #6 x 5/8" Wood Screws

| FUNCTION   | FINISH          | MFG SKU |
|------------|-----------------|---------|
| Push Plate | Stainless Steel | BC41005 |
| Push Plate | Aluminum        | BC41007 |
| Push Plate | Matte Black     | BC41022 |



### Specifications:

Material: Stainless Steel (BC41005); Aluminum (BC41007 & BC41022)

Size: 3-1/2" x 15"

Finishes: Stainless Steel (BC41005); Satin Aluminum (BC41007); Matte Black (BC41022)

Fasteners: (6) #6 x 5/8" Wood Screws

| FUNCTION   | FINISH          | MFG SKU |
|------------|-----------------|---------|
| Push Plate | Stainless Steel | BC41003 |



### Specifications:

Material: Stainless Steel

Size: 8" x 16"

Finishes: Stainless Steel, Matte Black

Fasteners: (6) #6 x 5/8" Wood Screws


# Door Handles



| FUNCTION    | FINISH          | MFG SKU |
|-------------|-----------------|---------|
| Pull Handle | Stainless Steel | UH40094 |



**"C" Style Pull Handle**



### Specifications:

Material: 304 Grade stainless steel

Application: Wood, glass, fiberglass and metal doors

Pull center to center: 11"

Tube Diameter: 1"


Projection: 2-3/4"

Door thickness range: 5/16" to 1-7/8"

| FUNCTION    | FINISH          | MFG SKU |
|-------------|-----------------|---------|
| Pull Handle | Stainless Steel | UH40095 |



**"H" Style Pull Handle**



### Specifications:

Material: 304 Grade stainless steel

Application: Wood, glass, fiberglass and metal doors


Pull center to center: 6"

Tube Diameter: 1"

Projection: 3"

Door thickness range: 5/16" to 2"

| FUNCTION                          | FINISH          | MFG SKU |
|-----------------------------------|-----------------|---------|
| 90-Degree Offset Door Pull Handle | Stainless Steel | BC40115 |
| 90-Degree Offset Door Pull Handle | Matte Black     | BC40116 |



### Specifications:

Material: 304 Grade stainless steel

Application: Wood, glass, fiberglass and metal doors

Pull center to center: 9"

Tube Diameter: 1"

Projection: 3-1/8"

Offset: 4"

Door thickness range: Glass 1/4" - 1/2" Wood/Metal/Fiberglass 1-3/4" - 2"





[brinkcommercial.com](http://brinkcommercial.com)  
1-866-LOCK-PRO (1-866-562-5776)



50 Icon, Foothill Ranch, CA 92610-3000  
©2023 Hampton Products International Corp.  
84000-00022\_REV C 10/23